Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and monthly and yearly reports of cities.

CALIFORNIA—*Sacramento.*—Month of January, 1898. Estimated population, 30,000. Total deaths, 44, including phthisis pulmonalis, 6, and diphtheria, 4.

COLORADO—*Colorado Springs.*—Month of January, 1898. Estimated population, 22,000. Total deaths, 22, including phthisis pulmonalis, 8; enteric fever, 1, and diphtheria, 1.

CONNECTICUT—*Hartford.*—Month of January, 1898. Estimated population, 72,000. Total deaths, 87, including phthisis pulmonalis, 15; enteric fever, 2, and diphtheria, 3.

FLORIDA—*Tampa.*—Month of January, 1898. Estimated population, 26,000. Total deaths, 37, including phthisis pulmonalis, 4; enteric fever, 2; croup, 1, and diphtheria, 2.

INDIANA—*Evansville.*—Month of January, 1898. Estimated population, 65,000. Total deaths, 66, including phthisis pulmonalis, 5; enteric fever, 2, and scarlet fever, 1.

MASSACHUSETTS—*Fitchburg.*—Month of January, 1898. Estimated population, 28,392. Total deaths, 32, including 4 from phthisis pulmonalis.

Newton.—Month of January, 1898. Estimated population, 27,590. Total deaths, 34, including phthisis pulmonalis, 3, and scarlet fever, 2.

MICHIGAN.—Week ended February 5, 1898. Reports to the State board of health, Lansing, from 54 observers, indicate that diarrhea increased, and pleuritis and pneumonia decreased in area of prevalence. Phthisis pulmonalis was reported present during the week at 100, measles at 41, scarlet fever at 34, diphtheria at 26, enteric fever at 20, and whooping cough at 8 places.

NEW HAMPSHIRE—*Concord.*—Month of January, 1898. Estimated population, 18,000. Total deaths, 28, including 3 from phthisis pulmonalis.

Manchester.—Month of January, 1898. Estimated population, 60,000. Total deaths, 86, including phthisis pulmonalis, 6; scarlet fever, 2; diphtheria, 4, and measles, 1.

NORTH CAROLINA.—Month of December, 1897. Reports to the State board of health from 24 towns, having an aggregate population of 126,960 (white, 72,039; colored, 54,921), show a total of 156 deaths (white, 75; colored, 81), including phthisis pulmonalis, 17; enteric fever, 5, and whooping cough, 1.

OHIO—*Cleveland.*—Month of January, 1898. Estimated population, 370,000. Total deaths, 326, including phthisis pulmonalis, 12; enteric fever, 6; scarlet fever, 1, and diphtheria, 14.

Dayton.—Month of January, 1898. Estimated population, 85,000. Total deaths, 86, including 8 from phthisis pulmonalis.

Toledo.—Month of January, 1898. Estimated population, 143,755. Total deaths, 116, including phthisis pulmonalis, 12; enteric fever, 3. diphtheria, 1, and whooping cough, 1.

OREGON—*Portland.*—Month of December, 1897. Estimated population, 89,000. Total deaths, 42, including phthisis pulmonalis, 7, and enteric fever, 1.

PENNSYLVANIA—*Pottsville.*—Two weeks ended February 10, 1898. Estimated population, 14,000. Total deaths, 9. No deaths from contagious diseases.

Williamsport.—Month of January, 1898. Estimated population, 35,000. Total deaths, 23, including 2 from phthisis pulmonalis.

TENNESSEE—*Chattanooga.*—Month of January, 1898. Estimated population, white, 27,000; colored, 13,000; total, 40,000. Deaths, white, 19; colored, 23; total, 42, including phthisis pulmonalis, 4; enteric fever, 1; diphtheria, 4, and whooping cough, 1.

Nashville.—Month of January, 1898. Estimated population, white, 54,595; colored, 33,159; total, 87,754. Deaths, white, 69; colored, 62; total, 131, including phthisis pulmonalis, 21; enteric fever, 2, and croup, 1.

VERMONT—*Burlington.*—Four months ended November 30, 1897. Estimated population, 15,000. Total deaths, 118, including phthisis pulmonalis, 2, and croup, 1.